



No.	DESCRIPTION	MATERIAL
1	STEM	LOW LEAD BRASS ALLOY
2	O-RING	EPDM D2000
3	BALL	LOW LEAD BRASS ALLOY
4	GASKET - SEAL	NITRILE D2000
5	BODY	CAST LOW LEAD BRASS ALLOY
6	END PIECE	CAST LOW LEAD BRASS ALLOY
7	CAP	CAST BRASS ASTM B62 ALLOY C83600
8	SOLID PIN	AISI 303 STAINLESS STEEL
9	PLAIN NUT	CAST BRASS ASTM B62 ALLOY C83600
10	SNAP RING	COPPER ALLOY CDA521
11	RUBBER GASKET	NITRILE D2000

VALVE SIZE	A	B
3/4	1-45/64"	1-21/32"
1	1-61/64"	2-1/32"

ALL WETTED PARTS ARE LOW LEAD BRASS ALLOY

FILEPATH: PRDD-ENG\JJ\SUBMITTALS\E1966W

DWG NUMBER
E1966W
JJ-MRKTG

TITLE TO AND OWNERSHIP OF THIS ENGINEERING DATA REMAINS IN Mueller Co. NO USE IS TO BE MADE OF THIS DATA EXCEPT AS SPECIFICALLY AUTHORIZED BY Mueller Co. ASSENT ON THE PART OF THE RECIPIENT TO THESE CONDITIONS IS PRESUMED

						DRFTR	RWB	2/5/10	JONES		
						CHKR					
						ENGR					
						MGR					
									UNLESS OTHERWISE NOTED	THIRD ANGLE PROJECTION	
									SURFACE PREPARATION:		
									BREAK CORNER(S) ---- .000		
									SURFACE FINISH -- XX RMS	REF. No.	SCALE
									TOLERANCE(S):		
									LINEAR ----- ± .000		
									ANGULAR ----- ± 0°00'		
									STK No:		
									MAT'L:		
									DESCR.	BALL ANGLE LLB METER VALVE (FIP x METER SWIVEL NUT)	DWG NUMBER E1966W
REV	ECR	DESCRIPTION	DATE	BY	CHKR						